J Am Acad Audiol 13: 582–586 (2002)

Author Index

Adamek M, 132
Adamonis J, 205
Anderson JS, 188

Bagatto MP, 407
Batra R, 188
Bauch CD, 72
Britt L, 438
Brown CJ, 227, 416

Carle R, 25
Carpenter M, 383
Chermak GD, 332
Cienkowski KM, 38
Clay KS, 416
Cone-Wesson B, 173, 260, 270
Cord MT, 295, 308, 356
Crandell CC, 493
Cranford JL, 383
Cruickshanks KJ, 323

Dalebout SD, 83
D'Angelo WR, 188
Davies MG, 367
De Chicchis AR, 383
Dietrich S, 146
Dimitrijevic A, 205, 246
Dowell RC, 173
Doyle LW, 121
Driscoll C, 392, 403

Emanuel DC, 93
Estes R, 1, 59

Fausti SA, 523, 559
Fitzpatrick DC, 188
Fowler CG, 72
Fox LG, 83
Freeman BA, 121

Gfeller K, 132
Gienapp BA, 227
Greenwald R, 438

Harris S, 146
Hay-McCutcheon MJ, 416
Hedrick MS, 154
Henry JA, 523, 545, 559
Henshall KR, 14
Hoover BM, 407
Hymel MR, 383

Jacobson G, 59, 339
Jastreboff MM, 523
Jastreboff PJ, 523
Jerger J, 1, 59, 285, 438
Jerger S, 463, 478
John MS, 205, 246

Kei J, 392, 403
Kelly AS, 367
Kileny PR, 169
Klein BEK, 323
Klein R, 323
Klostermann B, 169
Kuk F, 503
Kuwada S, 188

Lai L, 463, 478
Latham S, 392
Laugesen S, 25
Lehman ME, 160
Lewis JE, 339
Loscher J, 392

Marchman VA, 463, 478
Marcoux A, 503
Martin J, 438
McCaslin DL, 339
McDermott HJ, 14
McKay CM, 14
McPherson B, 392, 403
Mehr M, 132
Mehta J, 438
Ming WJ, 173
Miranda TT, 50
Moncrieff DW, 428
Moodie KS, 407
Musiek FE, 428

Nagler SM, 559
Nedzelski JM, 205
Nielsen C, 25
Nondahl DM, 323

Olsen WO, 72
Olson L, 295, 308
Ostroff J, 205
Overson G, 438

Pankiw R, 160
Parker J, 260, 270
Parthasarathy TK, 169
Pelletier S, 146
Pichora-Fuller MK, 50
Picton TW, 205, 246
Plyler PN, 154
Polka L, 345
Pollard J, 270
Poulis C, 270
Pugh KC, 493
Purcell DW, 205, 246
Purdy SC, 367

Rance G, 173, 236
Rickards F, 236, 260, 270
Ringgenberg S, 132
Robertson K, 392
Rogers J, 132

Saunders GH, 38
Schechter MA, 523, 545, 559
Schmidt Clay KM, 227
Scollie SD, 407
Scott J, 438
Seewald RC, 407
Seikel JA, 332
Seyle K, 416
Shahnaz N, 345
Simpson TH, 160
Smyth V, 392
Stewart M, 160
Stordahl J, 132
Surr RK, 295, 308
Swiderski N, 260

Tan L, 270
Teissier N, 188
Thibodeau L, 438
Tillman G, 285, 438
Tomlin D, 173
Tucker DA, 146
Tucker E, 332
Tweed TS, 323

Vander Werff KR, 227
Van Roon P, 205

Walden BE, 295, 308, 356
Walden TC, 356
Wiley TL, 323
Witt S, 132

J Am Acad Audiol 13: 582–586 (2002)

Author Index

Adamek M, 132
Adamonis J, 205
Anderson JS, 188

Bagatto MP, 407
Batra R, 188
Bauch CD, 72
Britt L, 438
Brown CJ, 227, 416

Carle R, 25
Carpenter M, 383
Chermak GD, 332
Cienkowski KM, 38
Clay KS, 416
Cone-Wesson B, 173, 260, 270
Cord MT, 295, 308, 356
Crandell CC, 493
Cranford JL, 383
Cruickshanks KJ, 323

Dalebout SD, 83
D'Angelo WR, 188
Davies MG, 367
De Chicchis AR, 383
Dietrich S, 146
Dimitrijevic A, 205, 246
Dowell RC, 173
Doyle LW, 121
Driscoll C, 392, 403

Emanuel DC, 93
Estes R, 1, 59

Fausti SA, 523, 559
Fitzpatrick DC, 188
Fowler CG, 72
Fox LG, 83
Freeman BA, 121

Gfeller K, 132
Gienapp BA, 227
Greenwald R, 438

Harris S, 146
Hay-McCutcheon MJ, 416
Hedrick MS, 154
Henry JA, 523, 545, 559
Henshall KR, 14
Hoover BM, 407
Hymel MR, 383

Jacobson G, 59, 339
Jastreboff MM, 523
Jastreboff PJ, 523
Jerger J, 1, 59, 285, 438
Jerger S, 463, 478
John MS, 205, 246

Kei J, 392, 403
Kelly AS, 367
Kileny PR, 169
Klein BEK, 323
Klein R, 323
Klostermann B, 169
Kuk F, 503
Kuwada S, 188

Lai L, 463, 478
Latham S, 392
Laugesen S, 25
Lehman ME, 160
Lewis JE, 339
Loscher J, 392

Marchman VA, 463, 478
Marcoux A, 503
Martin J, 438
McCaslin DL, 339
McDermott HJ, 14
McKay CM, 14
McPherson B, 392, 403
Mehr M, 132
Mehta J, 438
Ming WJ, 173
Miranda TT, 50
Moncrieff DW, 428
Moodie KS, 407
Musiek FE, 428

Nagler SM, 559
Nedzelski JM, 205
Nielsen C, 25
Nondahl DM, 323

Olsen WO, 72
Olson L, 295, 308
Ostroff J, 205
Overson G, 438

Pankiw R, 160
Parker J, 260, 270
Parthasarathy TK, 169
Pelletier S, 146
Pichora-Fuller MK, 50
Picton TW, 205, 246
Plyler PN, 154
Polka L, 345
Pollard J, 270
Poulis C, 270
Pugh KC, 493
Purcell DW, 205, 246
Purdy SC, 367

Rance G, 173, 236
Rickards F, 236, 260, 270
Ringgenberg S, 132
Robertson K, 392
Rogers J, 132

Saunders GH, 38
Schechter MA, 523, 545, 559
Schmidt Clay KM, 227
Scollie SD, 407
Scott J, 438
Seewald RC, 407
Seikel JA, 332
Seyle K, 416
Shahnaz N, 345
Simpson TH, 160
Smyth V, 392
Stewart M, 160
Stordahl J, 132
Surr RK, 295, 308
Swiderski N, 260

Tan L, 270
Teissier N, 188
Thibodeau L, 438
Tillman G, 285, 438
Tomlin D, 173
Tucker DA, 146
Tucker E, 332
Tweed TS, 323

Vander Werff KR, 227
Van Roon P, 205

Walden BE, 295, 308, 356
Walden TC, 356
Wiley TL, 323
Witt S, 132

Subject Index

Abbreviated Profile of Hearing Aid Benefit (APHAB), 295–307
ABR. *See* Auditory brainstem response
Acoustic neuroma, 72–81
Adaptive-directional microphone, 308–322
ADHD. *See* Attention-deficit hyperactivity disorder
AEPs. *See* Auditory evoked potentials
AERPs. *See* Auditory event-related potentials
African American elderly, 493–500, 521
Age
  hemispheric asymmetry in event-related potentials, 1–12
  real-ear-to-coupler difference, 407–414
Aged. *See* Elderly
AMFR. *See* Amplitude-modulation following response
AMLR. *See* Auditory middle latency response
Amplification, 505–507
Amplitude-modulation following response (AMFR), 188–203
APD. *See* Auditory processing disorder
APHAB. *See* Abbreviated Profile of Hearing Aid Benefit
ASSR. *See* Auditory steady-state response
Asymmetry
  ear, 403–407
  in event-related potentials, 1–12, 59–70, 285–294, 342–343
  hemispheric, 1–12, 59–70, 285–294, 342–343
  interaural, 428–436
Attention
  auditory processing battery, 100, 106–107
  electrophysiologic correlates in young and elderly, 383–391, 400–401
Attention-deficit hyperactivity disorder (ADHD), 106, 332–338
Audio input, 514–515
Audiology students, 121–131
Audiometry, 205–222, 250
Auditory brainstem response (ABR)
  auditory steady-state response and, 173–185, 225, 227–234, 283
  in children, 227–234, 283, 367–378, 382
  electrically evoked, 416–426, 461–462
  stimulus polarity in, 72–81
Auditory distractors
  phonologically related, 478–490
  semantically related, 463–477
Auditory event-related potentials (AERPs), 383–391, 400–401
Auditory evoked potentials (AEPs)
  cortical, 367–378, 382
  late, 383–391
  signal-to-noise ratio in, 83–92
  steady-state, 260–269, 270–282
  See also Auditory steady-state response
Auditory evoked response
  asymmetry in event-related potentials, 1–12
  in children, 227–234, 367–378
  effects of stimulus rate and gender, 146–151
Auditory middle latency response (AMLR), 146–151, 171
Auditory processing battery, 93–109, 113–118
Auditory processing disorder (APD)
  attention-deficit hyperactivity disorder and, 332–338
  in children, 59–70, 367–378
  in twins, 438–459
Auditory steady-state response (ASSR)
  amplitude-modulation following response and, 188–203
  auditory brainstem response and, 173–185, 225, 227–234, 283
  in children, 227–234, 270–282, 283
  in infants, 236–244, 270–282
  multiple, 205–222, 246–258
  in neonates, 260–269
Auditory threshold, 173–185, 205–222, 225

Backward masking, 438–459
Behind-the-ear (BTE) hearing aids, 568, 570
Binaural interaction, 98–99, 105–106
Bone-conduction thresholds, 220–222, 271–276
BTE. *See* Behind-the-ear (BTE) hearing aids

CAEP. *See* Cortical auditory evoked potential
Children
  auditory brainstem response in, 227–234, 283, 367–378, 382
  auditory processing disorder in, 59–70
  auditory steady-state response in, 227–234, 270–282, 283
  dyslexic, 428–436
  hearing aid fitting in, 503–518
  with hearing loss, 463–490
  hemispheric asymmetry in, 1–12, 59–70
  with learning disabilities, 367–378, 382
  picture naming, 463–490
  poor listeners, 59–70
  real-ear-to-coupler difference in, 407–414
  transient evoked otoacoustic emissions in, 392–399, 403–406
  See also Infants
Cochlear implants
  music training and timbre recognition in, 132–144
  Nucleus CI24R, 416–426, 461–462
  syllabic input compression for, 14–24

Competing Words test, 367–378, 382, 433–434
Compliance, 25–36
Compression
  syllabic input, 14–24
  wide dynamic range, 506–518
Conductive hearing loss, 35–36, 214–217
Consistency, 503–518
Consonants, 154–159, 434
Cortical auditory evoked potential (CAEP), 367–378, 382
Current drain, 516–517
Custom–fit hearing aids, 356–365

Deafness. *See* Hearing loss
Denver Prescreening Developmental Questionnaire (DPDQ), 467–468
Developmental Test of Visual Motor Integration (VMI), 467–468
Dichotic Consonant-Vowel test, 434
Dichotic Digits test, 433
Dichotic listening, 98, 103, 428–459
Direct audio input, 514–515
Directional microphone hearing aid (DMHA), 295–322, 512–513
Distortion-product otoacoustic emissions (DPOAEs)
  in newborns, 169–170
  tinnitus and, 568
DMHA. *See* Directional microphone hearing aid
Doctoral degree, 121–131
DPDQ. *See* Denver Prescreening Developmental Questionnaire
DPOAEs. *See* Distortion-product otoacoustic emissions
Dyslexia, 428–436

EABR. *See* Electrically evoked auditory brainstem response
EAP. *See* Electrically evoked whole-nerve action potential
Earmolds, 25–36, 412–413
Elderly
  African American, 493–500, 521
  attention versus distraction in, 383–391, 400–401
  hearing handicap in, 493–500, 521
  hearing loss in, 323–330, 493–500, 521
  hemispheric asymmetry in, 1–12
  tinnitus in, 323–330
Electrical audiometry, 188–203
Electrically evoked auditory brainstem response (EABR), 416–426, 461–462
Electrically evoked whole-nerve action potential (EAP), 416–426, 461–462
Electrodes, 193–194, 375
Electroencephalograph, 61–62
Environment, 308–322
ERPs. *See* Event-related potentials
Event-related potentials (ERPs)
  auditory, 383–391, 400–401
  hemispheric asymmetry in, 1–12, 59–70, 285–294, 342–343
  mismatch negativity, 83–92
  in twins, 438–459

Firearms, 160–168
Forced choice, 533, 535, 566
Functional health, 493–500, 521

Gap detection, 63, 443–445
Gender
  in auditory middle latency response, 146–151, 171
  firearm users' hearing loss and, 160–168
Group delay, 517

Handedness, 403–406
Handicap. *See* Hearing handicap
Health, 493–500, 521
Hearing aids
  behind-the-ear, 568, 570
  benefits from, 295–307, 314–315
  custom-fit, 356–365
  directional microphone, 295–322, 512–513
  fitting, 503–518
  in-the-ear, 568–570
  linear, 507
  nonlinear, 507–508
  omnidirectional, 308–322
  own voice and, 25–36
  preference in, 308–322
  satisfaction with, 38–49
Hearing handicap
  in elderly, 493–500, 521
  in firearm users, 160–168
Hearing Handicap Inventory for the Elderly (HHIE), 493–500, 521
Hearing impairment. *See* Hearing loss
Hearing in Noise Test (HINT), 356–365, 438–459
Hearing loss
  in children, 463–490
  conductive, 35–36, 214–217
  in elderly, 323–330, 493–500, 521
  in firearm users, 160–168
  functional health and, 493–500, 521
  high-frequency, 356–365
  sensorineural, 72–81, 211–214
  stimulus presentation level, 154–159
  tinnitus and, 527
  See also Hearing aids
Hearing screening, 276–280, 392–399
Hemispheric asymmetry, 1–12, 59–70, 285–294, 342–343
HHIE. *See* Hearing Handicap Inventory for the Elderly
High-frequency hearing loss, 356–365
HINT. *See* Hearing in Noise Test
Hyperactivity, 332–338

ILO Otodynamics Quickscreen program, 392–399, 403–406
Immittance, 345–354
Infants
  auditory steady-state response in, 236–244, 260–282

hearing screening for, 169–170, 392–399
prediction of hearing threshold in, 236–244
real-ear-to-coupler difference in, 407–414
transient evoked otoacoustic emissions in, 392–399
Interaural asymmetry, 285–294, 428–436
In-the-ear (ITE) hearing aids, 568–570
ITE. *See* In-the-ear (ITE) hearing aids

Jitter, 50–57

LAEPs. *See* Late auditory evoked potentials
Late auditory evoked potentials (LAEPs), 383–391
Late cortical evoked potentials, 367–378
LDL. *See* Loudness discomfort level
Learning disabilities, 367–378, 382
Linear amplification, 507
Listening, 59–70, 98, 103, 428–459
Loudness discomfort level (LDL), 528, 532, 536–537, 564, 567–568
Loudness matching, 550, 565–566
Low-redundancy speech, 97–98, 102–103

Masking
backward, 438–459
tinnitus, 523–578
MASTER. *See* Multiple auditory steady-state response
Master's degree, 121–131
Median method, 83–92
Medical Outcomes Study 36-Item Short Form Health Survey, 493–500, 521
Memory, 100
Microphone
directional, 295–322, 512–513
omnidirectional, 308–322
Microphone Performance Questionnaire (MPQ), 295–307
Middle ear, 345–354, 414
Middle latency response (MLR), 367–378, 382
Minimum masking level (MML), 532, 536, 547, 566
MINT. *See* Multiple-intensity technique
Mismatch negativity (MMN), 83–92
Mixed hearing loss, 35
MLR. *See* Middle latency response
MML. *See* Minimum masking level
MMN. *See* Mismatch negativity
Modulation frequency, 192–193, 264–268
Monaural low-redundancy speech, 97–98, 102–103
MPQ. *See* Microphone Performance Questionnaire
Multiple auditory steady-state response (MASTER), 205–222, 246–258
Multiple-intensity technique (MINT), 251–254
Music training, 132–144

Narrow-band noise, 535–536
Near Point Vision Test (NPVT), 467–468
Neonates, 260–269
Neural dyssynchrony, 50–57
Neuroma, 72–81
Newborns. *See* Infants; Neonates
Noise
background, 247–248, 316–317
firearm users' hearing loss, 160–168
narrow-band, 535–536
signal-to-noise ratio, 38–49, 83–92, 512–515
Nonlinear amplification, 507–508
NPVT. *See* Near Point Vision Test
Nucleus CI24R cochlear implant, 416–426, 461–462

Occlusion, 25–36
ODMHA. *See* Omnidirectional microphone hearing aid
Omnidirectional microphone hearing aid (ODMHA), 308–322
Otosclerosis, 345–354
Otoscopic inspection, 549

Peabody Picture Vocabulary Test (PPVT), 467–478
Pediatrics. *See* Children
Perceptual-performance discrepancy (PPDIS), 38–49
Performance intensity, phonetically balanced (PI-PB) rollover, 50–57
PHAB. *See* Profile of Hearing Aid Benefit
Phoneme discrimination, 478–490
Phonetic boundary, 154–159
Phonologically related disorders, 478–490
Picture naming, 463–476, 478–490
PI-PB. *See* Performance intensity, phonetically balanced (PI-PB) rollover
Pitch matching, 550, 565–566
Poor listeners, 59–70
PPDIS. *See* Perceptual-performance discrepancy
PPVT. *See* Peabody Picture Vocabulary Test
Presbycusis, 323–330
Probe-tone frequency, 345–354
Profile of Hearing Aid Benefit (PHAB), 295–307, 314–315
Psychoacoustic assessment, 549–550, 565
Psychoeducational testing, 100–101
Pure-tone average, 160–168
Pure-tone thresholds, 496

Quality of life, 493–500, 521

Real-ear aided response (REAR), 356–365
Real-ear-to-coupler difference (RECD), 407–414
REAR. *See* Real-ear aided response

RECD. *See* Real-ear-to-coupler difference
Resonance, 345–354

Same-different paradigm, 285–294
Saturation distortions, 517
Scalp-recorded amplitude-modulation following response, 188–203
SCAN Competing Words test, 367–378, 382, 428–436
Screening, 276–280, 392–399
Seasonal effects, 392–399
Semantic interference, 463–477
Seniors. *See* Elderly
Sensorineural hearing loss (SNHL), 72–81, 211–214
SF-36. *See* Medical Outcomes Study 36-Item Short Form Health Survey
Signal processing, 19, 83–92
Signal rate, 146–151, 171
Signal-to-noise ratio (SNR), 38–49, 83–92, 512–515
SNHL. *See* Sensorineural hearing loss
SNR. *See* Signal-to-noise ratio
Sound
  movement task, 63–64
  therapy, 570–571, 573
  See also Noise
Speech
  intelligibility, 38–49
  monaural low-redundancy, 97–98, 102–103
  perception, 14–24, 38–49, 154–159
  recognition, 313–314, 356–365
  temporally jittered, 50–57
  understanding, 317–318
Speech reception threshold (SRT), 38–49
SRT. *See* Speech reception threshold
SSEPs. *See* Steady-state evoked potentials
Staggered Spondaic Word score, 367–378, 382
Static immittance, 345–354
Steady-state evoked potentials (SSEPs), 173–203, 225, 246–258
Stimulus
  polarity in auditory brainstem response, 72–81
  presentation level, 154–159
  rate in auditory middle latency response, 146–151, 171
Stop consonant identification, 154–159
Suicide, 339–341
Syllabic input compression, 14–24
System delay, 517

Temporal compounds, 285–294, 342–343
Temporal jitter, 50–57
Temporal processing, 98, 103–105, 188–203
TEOAEs. *See* Transient evoked otoacoustic emissions
Timbre recognition, 132–144
Tinnitus
  counseling, 552, 573–575
  in elderly, 323–330
  evaluation for treatment, 564–568
  follow-up, 575
  management, 546–552
  masking approach, 545–554, 559–578
  ongoing treatment, 571–573
  prescribing and initiating treatment, 568–570
  retraining therapy, 523–544, 559–578
  sound therapy, 570–571
  suicide and, 339–341
Tone quality, 132–144
Transient evoked otoacoustic emissions (TEOAEs)
  in children, 392–399, 403–406
  ear asymmetry in, 403–407
  seasonal effects on, 392–399
Twins, 438–459
Two-alternative forced choice, 533, 535, 566
Tympanometry, 25–36, 273–274, 345–354

Vent and venting, 25–36, 413–414
Visual discrimination task, 64
VMI. *See* Developmental Test of Visual Motor Integration
Vowels, 434

Waveforms, 65–66, 87–88, 89
WDRC. *See* Wide dynamic range compression
Wechsler Intelligence Scale for Children (WISC), 467
Whole-nerve action potential, 416–426, 461–462
Wide dynamic range compression (WDRC), 506–518
WIPI. *See* Word Intelligibility by Picture Identification (WIPI) test
WISC. *See* Wechsler Intelligence Scale for Children
Word
  competition, 367–378, 382, 428–436
  recognition, 50–57
Word Intelligibility by Picture Identification (WIPI) test, 467–468

Young adults
  asymmetry in event-related potentials, 1–12
  attention versus distraction in, 383–391, 400–401
  jitter and performance intensity in, 50–57